

Pemphigus (PDAI)

Source :

Murrell DF, Dick S, Ahmed AR, Amagai M, Barnadas MA, Borradori L, Bystryn JC, Cianchini G, Diaz L, Fivenson D, Hall R, Harman KE, Hashimoto T, Hertl M, Hunzelmann N, Iranzo P, Joly P, Jonkman MF, Kitajima Y, Korman NJ, Martin LK, Mimouni D, Pandya AG, Payne AS, Rubenstein D, Shimizu H, Sinha AA, Sirois D, Zillikens D, Werth VP.

CONSENSUS STATEMENT ON DEFINITIONS OF DISEASE, END POINTS, AND THERAPEUTIC RESPONSE FOR PEMPHIGUS.

J Am Acad Dermatol 2008;58:1043-6

Pemphigus (PDAI)

Pemphigus Disease Area Index (PDAI),

- Skin		- Activity		- Damage
Anatomical Location	Erosion / Blisters or new erythema		Number lesions if ≤ 3	Post-inflammatory hyperpigmentation or erythema from resolving lesion
	0	absent		0 absent
	1	1-3 lesions up to one > 2 cm in any diameter, none > 6 cm		1 present
	2	2-3 lesions, at least two > 2 cm diameter, none > 6 cm		
	3	> 3 lesions, none > 6 cm diameter		
	5	> 3 lesions, and/or at least one > 6 cm		
	10	> 3 lesions, and/or at least one lesion > 16 cm diameter or entire area		
Ears				
Nose				
Rest of the face				
Neck				
Chest				
Abdomen				
Back, buttocks				
Arms				
Hands				
Legs				
Feet				
Genitals				
Total skin	/120			/12

- Scalp				
Scalp	Erosion/Blisters or new erythema		Number lesions if ≤ 3	Post-inflammatory hyperpigmentation or erythema from resolving lesion
	0	absent		0 absent
	1	in one quadrant		1 present
	2	two quadrants		
	3	three quadrants		
	4	affects whole skull		
	10	at least one lesion > 6 cm		
Total Scalp (0-10)	/10			/1

Mucous membrane

Anatomical location	Erosion/Blisters	Number lesions if ≤ 3
	0	absent
	1	1 lesion
	2	2-3 lesions
	5	> 3 lesions or 2 lesions > 2 cm
	10	entire area
Eyes		
Nose		
Buccal mucosa		
Hard palate		
Soft palate		
Upper gingiva		
Lower gingiva		
Tongue		
Floor of mouth		
Labial bucosa		
Posterior pharynx		
Anogenital		
Total Mucosa	/120	

Total Activity Score (total skin + total Scalp + total Mucosa) :

Total Damage Score :